

ECG EDF 4525 QWE

Dishwasher

Product code: 100000840961
EAN: 8592131239654

- Energy class: E
- 5 programs
- 9 dining sets capacity
- Water consumption: 10 l/cycle



- 9 dining sets capacity
- Energy class: E
- 5 programs: Eco/ Intensive/ 30 min/ 90 min/ Rinse
- Aquastop
- Dry+ function / by selecting this additional function, the drying time will be extended by another 5 minutes after the end of the program to achieve a better drying result
- LED display
- Delayed start: 1-24 h
- Consumption: 197 kWh/year (280 cycles)
- Water consumption: 2800 l/year
- Water consumption: 10 l/cycle:
- Half load – double wash zone
- 2 washing arms
- Stainless steel dishwasher interior
- Water softener
- Setting the height of the upper basket
- Removable top plate
- Child lock
- Noise level: 49 dB
- Power input: 1850 W
- Nominal voltage/frequency 220–240 Vac / 50 Hz
- Water pressure (hydrodynamic pressure): 0,4–10.0 bar = 0,04–1.0 MPa
- Dimensions (he x w x d): 84.5 × 44.8 × 60 cm

Technical specifications

Rated capacity - number of sets	9
EEI	55.9
Energy efficiency class	E
Cleaning ability index	1.13
Drying ability index	1.09
Energy consumption per 100 cycles (kWh)	70
Weighed water consumption per cycle (l)	10
Length of reference program (hrs.)	4
Noise (dB)	49
Noise emission class	C
Turned off (W)	0.49
Standby mode (W)	0.6
Delayed start (W)	1
Standby mode when connected to power (W)	-
Automatic detergent dispensing	-
Program for 3in1 tablets	Yes
Motor type	normal
Wifi connection	no
Power cable length (cm)	150

Control

Number of washing temperatures	4
Temperatures	40/44/60/62
Recommended water pressure	0,04-1,00 Mpa
Self-cleaning function	no
Automatic self-cleaning reminder	no
Self-cleaning stainless steel filter	no
Half load half load	Yes
Interior surface	Stainless
Fingerprint protection	no

Bakets

Baskets color	grey
Glasses module in the upper / lower basket	-
Height adjustable upper basket	Yes
Setting of the upper loaded basket	no
basket handle	Yes
basket handle with logo	Yes
Cutlery basket	Yes
Extra cutlery compartment	no

Products specifications

Lower spray arm	Plastic
Upper spray arm	Plastic

Upper spray	no
Rotating upper spray	no
Number of washing arms	2
Filter	Stainless
Water softener	Yes
Water softener control	electronic
Rinse control	electronic
Supply hose material	rubber
Supply hose length	150
Aquastop system (exterior base)	Yes
Drain hose	Yes
Drain hose length	160
Supply and drain hoses in the package	Yes
Water relief valve (DualZone)	-
Heating element	-
Water sensor / overflow	Yes
Water source	-
Power	220-240V 50Hz
Steam protection	no
Outlet	Euro schuko
Quantitative automation	no
Load sensor	no
Aquastop hose	Yes
Automatic door opening	no
Water tank	no
XXL (86 cm) Version	no
Status light indicator	-
Interior lighting	no
Steam disinfection	no
Ion generator	no
Self-cleaning program	no
Start / Pause button	Yes
Program selection button	Yes
Half-load button	Yes
Quick rinse button	no
Extra hygiene button	no
Extra drying button	Yes
Child lock	Yes
Automatic door opening button	no
Optical signal of program end	Yes
Audible signal of program end	no

Design

Material	-
Color design of the dishwasher	White
Control panel type	Plastic
Control panel color	White

Control panel insert	White
Buttons color	White
Sliding door	no
Hinges	Yes
Spring control	Yes
Adjustable front spring opening	Yes
Adjustable feet	Yes
Height adjustable (in mm)	-
Adjustment of rear feet from the front	Yes
Sheet metal on sides	Yes
Top plate	Yes
Rear plate	no

Control

Audible alert at the end of washing	no
Possibility to turn off / on the sound alert of the end of the program	no
Operation indicator	Yes
Washing phase indicator	no
Lack of salt indicator	no
Lack of polish indicator	no
Delayed start (hrs)	1-24
Gentle washing of glass function	no
Time control	no
Clock	Yes

Programs

Number of programs	5
Auto program	no
Special programs	no

Weight & dimensions

WIDTH (MM)	448
HEIGHT (MM)	845
LENGTH (MM)	600
WEIGHT (KG)	37.00

Weight & dimensions (Brutto)

WIDTH WITH PACKAGING (MM)	488
HEIGHT WITH PACKAGING (MM)	875
DEPTH WITH PACKAGING (MM)	635
WEIGHT WITH PACKAGING (KG)	40.32