



## ECG EV 2512 Black

### Double electric hob

Product code: 100000886590

EAN: 8592131307810

- 2 hotplates 185 mm and 155 mm
- Input power 1500 W + 1000 W
- Continuously adjustable thermostats
- Simple operating and cleaning

- Ideal for small kitchens, cottages or camps
- Simple operating and cleaning
- 2 hotplates with diameter 185 mm (1500 W) and 155 mm (1000 W)

- Continuously adjustable thermostats
- Variable, independent temperature control
- Light indicator
- Overheating protection switch

- Power cable storage compartment
- Anti-slip feet
- Nominal voltage: 220–240 V~ 50–60 Hz
- Nominal input power: 2500 W

## Technical specification

Input power (W)	2500
Voltage/Frequency (V/Hz)	220-240 V~ 50/60
Power Cord length (cm)	83

## Product specification

Hobs type	cast-iron
Control mode	Knob
Number of hobs	2
Hobs diameter (cm)	18,8 / 15,5
Light indicator	Yes

Temperature range	18,5cm: 450 °C (±50 °C) 15,5cm: max 350 °C (±50 °C)
Temperature regulation	Yes
Non-slip feet	Yes
Overheating protection	Yes

## Design

Colour	Black
Material	Metal

## Accessories

Power cord	Yes
------------	-----

## Weight & dimensions

WIDTH (MM)	470
HEIGHT (MM)	85
LENGTH (MM)	275
WEIGHT (KG)	3.4

## Weight & dimensions (Brutto)

WIDTH WITH PACKAGING (MM)	519
HEIGHT WITH PACKAGING (MM)	300
DEPTH WITH PACKAGING (MM)	95
WEIGHT WITH PACKAGING (KG)	3.8

### Ageless electric cooker

The **ECG EV 2512** two plate electric cooker is perfect for couples or individuals. You can use it not only in small kitchens, but also in the rural homes or campsites. You can cook on two cooking zones, on which, thanks to the diameter of 18.5 and 15.5 cm, you can place smaller and larger pots or pans. You can cook the main course with the side dish simultaneously.



The total power of the cooker is 2500 W (1500 + 1000 W). You can set 5 power levels for both cooking zones, which you can easily regulate with two rotary selectors. The maximum operating temperature of the larger cooking zone is 450 °C and the smaller one reaches 350 °C (±50 °C).

An indicator light informs you about the operation. The cooker is equipped with protection against overheating for safety reasons. Anti-slip feet ensure stability during cooking. A standard 220–240V connection is enough for your power supply.