



# ECG EDI 300163 BlackLine

## Dishwasher

Product code: 100001926626

EAN: 8592131240155

- Auto door open
- Energy class: D
- 6 programs
- 14 dining sets capacity
- Water consumption: 11 l/cycle





### **Technical specifications**

Rated capacity - number of sets	14
EEI	49.9
Energy efficiency class	D
Cleaning ability index	1.125
Drying ability index	1.065
Energy consumption per 100 cycles (kWh)	85
Weighed water consumption per cycle (I)	11
Length of reference program (hrs.)	3:18
Noise (dB)	44
Noise emission class	В
Turned off (W)	0.49
Standby mode (W)	-
Delayed start (W)	1
Standby mode when connected to power (W)	-
Automatic detergent dispensing	no
Program for 3in1 tablets	Yes
Motor type	normal
Wifi connection	no
Power cable length (cm)	150

#### Control

Number of washing temperatures	6
Temperatures	40/45/50/55/60/65
Recommended water pressure	0,04-1,00 Mpa
Self-cleaning function	no
Automatic self-cleaning reminder	no
Self-cleaning stainless steel filter	Yes
Half load half load	Yes
Interior surface	Stainless

#### **Bakets**

Baskets color	Grey
Glasses module in the upper / lower basket	Yes
Height adjustable upper basket	Yes
Setting of the upper loaded basket	no
basket handle	-
basket handle with logo	-
Cutlery basket	no
Extra cutlery compartment	Yes

#### **Products specifications**

Lower spray arm	Yes
Upper spray arm	Yes
Upper spray	Yes



Number of washing arms         2           Filter         Classic           Vater softener control         Yes           Water softener control         Yes           Supply hose interfiel         Cubber           Supply hose length         150           Aquassfor system (extenor base)         Yes           Drain hose length         150           Oral nose length         16           Use of properties of the package         Yes           Water relief valve (Ottal Zone)         no           Heating element         7           Water sensor / overflow         7           Sensor / overflow         7           Water relief valve (Ottal Zone)         7           Sensor / overflow         7           Water relief valve (Ottal Zone)         7           Water relief valve (Ottal Zone)	Rotating upper spray	-
Filter         Plates         Plates           Vater softener         Ves           Vater softener control         Ves           Supply house detrail         10 bbs           Supply house detrail         10 bbs           Aquastop system (exterior base)         70 cc           Drain house length         10 cc           Brain house in the package         70 cc           Vater sole of (Polaz Soner)         10 cc           Sear polaz Soner         10 cc           Sear polaz Soner         10 cc           Quitar         10 cc           Vater Soner         10 cc           Vater Soner         10 cc           Vater Soner         10 cc </td <td></td> <td>2</td>		2
Water softener control         Yes           Rinse currol         Yes           Supply hose length         1.50           Aquastop system (exterior base)         Yes           Drain hose length         Yes           Drain hose length         Yes           Supply and drain hoses in the package         Yes           Water relief valve (QualZone)         no           Heading element         Yes           Water source         20-240V EML2           Power         22-240V EML2           Steam protection         no           Outset         20-240V EML2           Steam protection         no           Outset         20-240V EML2           Steam protection         no           Outset         20-240V EML2           Steam for overflow         no           Quantitative automation         no           Load sensor         no           Aquastop hose         no           Application         no           State flow         no           State flow         no           State flow         no           State flowing flow         no           State flowing flow         no           St		Plastic
Rinse control         Yes           Supply hose markerial         rubbre           Supply hose markerial         150           Supply hose markerial         150           Supply hose markerial         150           Quassop system (exterior base)         70           Drain hose to the package         70           Supply and drain hoses in the package         70           Water relief valve (DualZone)         10           Reating element         10           Reating element         10           Water source         220-240/ 50Hz           Reating element         220-240/ 50Hz           Steam protection         10           Countrilative automation         10           Quantifiative automation         10           Countrilative automation         10           Advances do or opening         10           Advances do or opening         10           Water transk         10           Automatic door opening         10           Steatus fight indicator         10           Interior lighting         10           Steatus fight indicator         10           Interior generator         10           Steatus fight indicator         10 <td>Water softener</td> <td>Yes</td>	Water softener	Yes
Supply hose material         rubber           Supply hose length         156           Applasetop system (exterior base)         Yes           Drain hose         Yes           Drain hose length         1°           Supply and drain hoses in the package         Yes           Water relief vulve (DualZore)         no           Heating element         1°           Water source         200-2404 SoHz           Steam protection         0°           Outer         200-2404 SoHz           Steam protection         no           Outer         0°           Quantitable automation         no           Cuted sensor         no           Automatic door opening         no           Water tank         no           Status light indicator         no           Interior lighting         no           Steam disinfection         no           Outck rinse bettorn         no     <	Water softener control	Yes
Supply hose length         150           Aquastop system (exterior base)         'Yes           Drain hose         'Yes           Drain hose length         -           Supply and drain hoses in the package         'Yes           Water relief valve (Dual/Zone)         no           Heading element         -           Water source         220-240 950Hz           Steam protection         no           Outet         -           Quantitative automation         no           Lead sensor         no           Automatic door opening         no           Water rank         no           Status light indicator         no           Innerentic light indicator         no     <	Rinse control	Yes
Aquastop system (exterior base)         Yes           Drain hose         Yes           Drain hose length         Yes           Supply and drain hoses in the package         Yes           Water relief valve (DualZone)         no           Heating element         Yes           Water sensor / overflow         Yes           Water source         -           Power         220-2407 SDHz           Steam protection         no           Outlet         -           Quantitative automation         no           Load sensor         no           Automatic door opening         no           Water tank         no           Status (86 cm) Version         no           Status (96 cm) Version         no	Supply hose material	rubber
Drain hose         Yes           Drain hose length         -           Supply and drain hoses in the package         Yes           Water relief valve (QualZone)         no           Heating element         -           Water source         -           Power         220-240V 50Hz           Steam protection         no           Outlet         -           Quantitative automation         no           Load sensor         no           Aquastop hose         Yes           Automatic door opening         no           Water tank         no           Status light indicator         no           Interior lighting         no           Status light indicator         no           Interior lighting         no           Sterio-cleaning program         no           Sterio-cleaning program         no           Sterio-cleaning program selection buton         no           Extra dyging button         no           Extra dyging button         no           Extra dyging button         no           Extra dyging button         no           Child lock         no           Child lock         no	Supply hose length	150
Drain hose length            Supply and drain hoses in the package         Yes           Water relief valve (DualZone)         no           Heating element            Water sensor / overflow         Yes           Water source            Power            Steam protection            Outlet            Quantitative automation            Load sensor            Aquastop hose         Yes           Automatic door opening            Water tank            XXL, (& Gent) Version            Steam disinfection            Interior lighting            Steam disinfection            In on generator            Steam disinfection            In on generator            Stear disaning program            Stear J-Pause button            Yes            Toylor yers see button            Extra drying button            Extra drying button	Aquastop system (exterior base)	Yes
Supply and drain hoses in the package         Yes           Water relief valve (DuaZone)         no           Heading element         'es           Water source         e           Power         220-240V 5DHz           Steam protection         no           Cullet         -           Quantitative automation         no           Load sensor         no           Adquastop hose         Yes           Automatic door opening         no           Water tank         no           XXL (86 cm) Version         Blue           Status light indicator         no           Interior lighting         no           Steam disinfection         no           long enerator         no           Self-cleaning program         Yes           Start / Pause button         Yes           Program selection button         Yes           Quick rinse button         no           Extra drying button         no           Extra drying button         no           Extra drying button         no           Extra drying button         no           Automatic door opening button         no           Child lock         no	Drain hose	Yes
Water relief valve (DualZone)         no           Heating element         -           Water source         -           Power         220-240V 50Hz           Sleam protection         no           Outlet         -           Quantitative automation         no           Load sensor         no           Automatic door opening         no           Vater tank         no           Vater tank         no           Vater tank         no           Interior lighting         no           Staus light indicator         no           Interior lighting         no           Schard Hausende         no <td>Drain hose length</td> <td>-</td>	Drain hose length	-
Heating element         Mater sensor / overflow         Yes           Water source         220-240V 50Hz           Power         220-240V 50Hz           Steam protection         no           Outlet         -           Quantitative automation         no           Load sensor         no           Aquastop hose         Yes           Automatic door opening         no           Water tank         no           XXL (86 cm) Version         Blue           Status light indicator         no           Interior lighting         no           Interior lighting         no           Interior lighting         no           Interior lighting         no           Steam disinfection         no           Steam disinfection         no           Steam disinfection         no	Supply and drain hoses in the package	Yes
Water sensor / overflow         Yes           Water source         -           Power         220-240V 50Hz           Steam protection         no           Outlet         -           Quantitative automation         no           Load sensor         no           Aquastop hose         Yes           Automatic door opening         no           Water tank         no           Water tank         no           Status light indicator         no           Interior lighting         no           Self-cleaning program         Yes           Program selection button         Yes           Quick rinse button         no           Extra hygiene button	Water relief valve (DualZone)	no
Water source         220-240V 50Hz           Power         220-240V 50Hz           Steam protection         no           Outlet	Heating element	-
Power         220-240V 50Hz           Steam protection         no           Outet         -           Quantitative automation         no           Load sensor         no           Aquastop hose         Yes           Automatic door opening         no           Water tank         no           Status light indicator         no           Interior lighting         no           Steam disinfection         no           Ion generator         no           Self-Cleaning program         Yes           Start / Pause button         Yes           Program selection button         Yes           Half-load button         Yes           Quick rinse button         no           Extra rhyging button         no           Extra dying button         Yes           Child lock         no           Automatic door opening button         no           Optical signal of program end         Yes           Design         Yes           Coor design of the dishwasher         bull-in	Water sensor / overflow	Yes
Steam protection         no           Outlet         -           Quantitative automation         no           Load sensor         no           Aquastop hose         Yes           Automatic door opening         no           Water tank         no           XXL (86 cm) Version         Blue           Status light indicator         no           Interior lighting         no           Interior lighting         no           Is and disinfection         no           lon generator         no           Self-cleaning program         Yes           Start / Pause button         Yes           Program selection button         Yes           Quick rinse button         no           Extra hygiene button         no           Extra hygiene button         no           Extra dyring button         Yes           Child lock         no           Automatic door opening button         no           Optical signal of program end         Yes           Design         Color design of the dishwasher	Water source	-
Outlet	Power	220-240V 50Hz
Quantitative automationnoLoad sensornoAquastop hoseYesAutomatic door openingnoWater tanknoXXL (86 cm) VersionBlueStatus light indicatornoInterior lightingnoSteam disinfectionnolon generatornoSelf-cleaning programYesStart / Pause buttonYesProgram selection buttonYesHalf-load buttonYesQuick rinse buttonnoExtra rhygiene buttonnoExtra rhygiene buttonnoExtra drying buttonroAutomatic door opening buttonnoOptical signal of program endYesDesignMaterial-Color design of the dishwasherbull-in	Steam protection	no
Load sensor         no           Aquastop hose         Yes           Automatic door opening         no           Water tank         no           XXL (86 cm) Version         Blue           Status light indicator         no           Interior lighting         no           Interior lighting         no           lon generator         no           Self-cleaning program         Yes           Start / Pause button         Yes           Program selection button         Yes           Half-load button         Yes           Quick rinse button         no           Extra hygiene button         no           Extra hygiene button         Yes           Child lock         no           Automatic door opening button         no           Optical signal of program end         Yes           Design           Material         -           Color design of the dishwasher         bull-in	Outlet	-
Aquastop hose       Yes         Automatic door opening       no         Water tank       no         XXL (86 cm) Version       Blue         Status light indicator       no         Interior lighting       no         Steam disinfection       no         long enerator       no         Self-cleaning program       Yes         Start / Pause button       Yes         Program selection button       Yes         Half-load button       Yes         Quick rinse button       no         Extra hygiene button       no         Extra hygiene button       no         Extra hygiene button       no         Child lock       no         Automatic door opening button       no         Optical signal of program end       Yes         Design       Automatic door opening button       yes         Design       Automatic door opening button       yes         Design       Automatic door opening button       built-in	Quantitative automation	no
Automatic door opening no Water tank no XXL (86 cm) Version Blue Status light indicator no Interior lighting no Steam disinfection no Interior lighting no Steam disinfection no Ion generator no Self-cleaning program Yes Start / Pause button Yes Program selection button Yes Half-load button Yes Quick rinse button no Extra thygiene button no Extra thygiene button no Extra drying button Yes Child lock no Automatic door opening button no Optical signal of program end Yes  Design  Material - Color design of the dishwasher build-in	Load sensor	no
Water tank         no           XXL (86 cm) Version         Blue           Status light indicator         no           Interior lighting         no           Steam disinfection         no           Ion generator         no           Self-cleaning program         Yes           Start / Pause button         Yes           Program selection button         Yes           Half-load button         Yes           Quick rinse button         no           Extra hygiene button         no           Extra drying button         Yes           Child lock         no           Automatic door opening button         no           Optical signal of program end         Yes           Design         Auterial           Color design of the dishwasher         built-in	Aquastop hose	Yes
XXL (86 cm) Version         Blue           Status light indicator         no           Interior lighting         no           Steam disinfection         no           lon generator         no           Self-cleaning program         Yes           Start / Pause button         Yes           Program selection button         Yes           Half-load button         Yes           Quick rinse button         no           Extra hygiene button         no           Extra drying button         Yes           Child lock         no           Automatic door opening button         no           Optical signal of program end         Yes           Design           Material         -           Color design of the dishwasher         built-in	Automatic door opening	no
Status light indicator no   Interior lighting no   Steam disinfection no   lon generator no   Self-cleaning program Yes   Start / Pause button Yes   Program selection button Yes   Half-load button Yes   Quick rinse button no   Extra hygiene button no   Extra drying button Yes   Child lock no   Automatic door opening button no   Optical signal of program end Yes   Design Material   Color design of the dishwasher built-in	Water tank	no
Interior lighting no steam disinfection no solon generator no self-cleaning program Yes Start / Pause button Yes Program selection button Yes Half-load button Yes Quick rinse button no Extra hygiene button no Extra drying button no Extra drying button Yes Child lock no Automatic door opening button no Optical signal of program end Yes Design	XXL (86 cm) Version	Blue
Steam disinfectionnolon generatornoSelf-cleaning programYesStart / Pause buttonYesProgram selection buttonYesHalf-load buttonYesQuick rinse buttonnoExtra hygiene buttonnoExtra drying buttonYesChild locknoAutomatic door opening buttonnoOptical signal of program endYesDesignMaterial-Color design of the dishwasherbuilt-in	Status light indicator	no
Ion generatornoSelf-cleaning programYesStart / Pause buttonYesProgram selection buttonYesHalf-load buttonYesQuick rinse buttonnoExtra hygiene buttonnoExtra drying buttonYesChild locknoAutomatic door opening buttonnoOptical signal of program endYesDesignMaterial-Color design of the dishwasherbuilt-in	Interior lighting	no
Self-cleaning programYesStart / Pause buttonYesProgram selection buttonYesHalf-load buttonYesQuick rinse buttonnoExtra hygiene buttonnoExtra drying buttonYesChild locknoAutomatic door opening buttonnoOptical signal of program endYesDesignMaterial-Color design of the dishwasherbuilt-in	Steam disinfection	no
Start / Pause button Program selection button Half-load button Quick rinse button Extra hygiene button Extra drying button  Extra drying button  Child lock Automatic door opening button Optical signal of program end  Pesign  Material Color design of the dishwasher  Yes  Child lock Automatic door opening button Optical signal of program end  Color design of the dishwasher  Yes  Line Automatic door opening button Optical signal of program end  Automatic door opening button Optical signal of program end  Color design of the dishwasher	Ion generator	no
Program selection button  Half-load button  Quick rinse button  Extra hygiene button  Extra drying button  Child lock  Automatic door opening button  Optical signal of program end  Pesign  Material  Color design of the dishwasher  Yes  Child button  A ves  Automatic door opening button  Color design of the dishwasher  Nes  Automatic door opening button  Color design of the dishwasher  Nes  Automatic door opening button  Color design of the dishwasher  Nes  Automatic door opening button  Color design of the dishwasher	Self-cleaning program	Yes
Half-load button Yes Quick rinse button no Extra hygiene button no Extra drying button Yes Child lock no Automatic door opening button no Optical signal of program end Yes  Design  Material - Color design of the dishwasher built-in	Start / Pause button	Yes
Quick rinse buttonnoExtra hygiene buttonnoExtra drying buttonYesChild locknoAutomatic door opening buttonnoOptical signal of program endYesDesignMaterial-Color design of the dishwasherbuilt-in	Program selection button	Yes
Extra hygiene button no Extra drying button Yes Child lock no Automatic door opening button no Optical signal of program end Yes  Design  Material - Color design of the dishwasher built-in	Half-load button	Yes
Extra drying button Yes Child lock no Automatic door opening button no Optical signal of program end Yes  Design  Material - Color design of the dishwasher built-in	Quick rinse button	no
Child lock Automatic door opening button Optical signal of program end  Pesign  Material Color design of the dishwasher  no Optical signal of program end Yes  Lead to the dishwasher opening button No	Extra hygiene button	no
Automatic door opening button Optical signal of program end  Pesign  Material Color design of the dishwasher  no Optical signal of program end Yes  Lead to the dishwasher opening button on the dishw		Yes
Optical signal of program end  Pesign  Material Color design of the dishwasher  Yes  Lambda -  Color design of the dishwasher  Nes  Lambda -  Substitute -	Child lock	no
Design  Material  Color design of the dishwasher  built-in		no
Material - Color design of the dishwasher built-in	Optical signal of program end	Yes
Color design of the dishwasher built-in	Design	
-	Material	-
Control panel type Plastic	Color design of the dishwasher	built-in
	Control panel type	Plastic

Control panel color
Control panel insert
Buttons color

Black

Black



WEIGHT WITH PACKAGING (KG)

Sliding door	no
Adjustable feet	-
Adjustment of rear feet from the front	-
Top plate	-
Control	
Possibility to turn off / on the sound alert of the end of the program	-
Operation indicator	no
Washing phase indicator	Yes
Lack of salt indicator	no
Lack of polish indicator	Yes
Delayed start (hrs)	Yes
Clock	1-24
Programs	
	6
Programs  Number of programs  Auto program	no
Programs  Number of programs	6 no Auto door open on/off
Programs  Number of programs  Auto program  Special programs	no
Programs  Number of programs  Auto program  Special programs	no
Programs  Number of programs  Auto program  Special programs  Weight & dimensions	no Auto door open on/off 598
Programs  Number of programs  Auto program  Special programs  Weight & dimensions  WIDTH (MM)	no Auto door open on/off 598 815
Programs  Number of programs  Auto program  Special programs  Weight & dimensions  WIDTH (MM)  HEIGHT (MM)	no Auto door open on/off
Programs  Number of programs  Auto program  Special programs  Weight & dimensions  WIDTH (MM)  HEIGHT (MM)  LENGTH (MM)	no Auto door open on/off  598 815 550
Programs  Number of programs  Auto program  Special programs  Weight & dimensions  WIDTH (MM)  HEIGHT (MM)  LENGTH (MM)  WEIGHT (KG)	no Auto door open on/off  598 815 550
Programs  Number of programs  Auto program  Special programs  Weight & dimensions  WIDTH (MM)  HEIGHT (MM)  LENGTH (MM)  WEIGHT (KG)	598 815 550 39
Programs  Number of programs Auto program Special programs  Weight & dimensions  WIDTH (MM) HEIGHT (MM) LENGTH (MM) WEIGHT (KG)  Weight & dimensions (Brutto)	no Auto door open on/off  598 815 550

46