



ECG RZ 060

Rice cooker

Product code: 341040054958

EAN: 8592131306677

- Compact size
- Volume 0,6 l
- Suitable for preparing all types of rice
- Non-stick surface removable vessel

- Bowl capacity 0,6 l
- Compact size
- Keep Warm function
- Automatic temperature maintenance after cooking (Up to 3 hours without electricity)

- Suitable for preparing all types of rice
- Rice capacity 450g
- Suitable for preparing couscous, millet, buckwheat, potatoes and vegetable
- Safety power switch
- Safety overheating protection

- Removable bowl with non-stick coating
- Glass lid with heat insulated handle
- Accessories: plastic measuring cup and stirring
- Power: 300 W

Technical specifications

| | |
|--------------------------|-----------------|
| Input power (W) | 300 |
| Voltage/Frequency (V/Hz) | 220-240 – 50/60 |
| Power Cord length (cm) | 110 |
| Heat isolated handle | Yes |
| On/Off Button | Yes |
| Safety fuse | Yes |
| Overheating protection | Yes |

Product specifications

| | |
|---|-------------------|
| Container capacity (l) | 0,6 |
| Max weight of rice before cooking (g) | 450 |
| Rice type | all types |
| Variable temperature | no |
| 3D heating | no |
| Rice cooker | Yes |
| Boil | Yes |
| Warm | Yes |
| Slow cooking | no |
| Bowl surface | non-stick surface |
| Delayed start | no |
| Control mode | manual |
| Maintaining the temperature after cooking | up to 5 hrs |
| Digital Timer Setting | no |
| Sound indicator | no |
| Power light indicator | Yes |
| Removable Bowl | Yes |
| Transparent lid | Yes |
| Non-slip feet | Yes |
| Removable power cord | Yes |

Design

| | |
|---------------|---------|
| Colour finish | white |
| Material | plastic |

Accessories

| | |
|-------------|-----|
| Measure cup | Yes |
| Spatula | Yes |

Weight & dimensions

| | |
|-------------|-----|
| WIDTH (MM) | 230 |
| HEIGHT (MM) | 177 |
| LENGTH (MM) | 205 |
| WEIGHT (KG) | 0.9 |

Weight & dimensions (Brutto)

| | |
|----------------------------|-----|
| WIDTH WITH PACKAGING (MM) | 225 |
| HEIGHT WITH PACKAGING (MM) | 200 |
| DEPTH WITH PACKAGING (MM) | 225 |
| WEIGHT WITH PACKAGING (KG) | 1.4 |