



ECG AF 3500

Hot air fryer

Product code: 100000861998

EAN: 8592131307759

- Healthy food preparation with a minimum amount of grease
- Variable temperature setting 80-200 °C
- 30-minute switch with automatic shut-off function
- Fryer volume 3,5 l

- Healthy lifestyle – frying, baking, roasting and grilling with hot air with a minimum amount of fat
- The hot air fryer allows the preparation of vegetables, meat, but also ever so popular french fries or desserts
- High cooking efficiency
- A special fast air circulation system fries food faster and saves energy

- The fat is easily separated from the food during frying, resulting in healthy and tasty dishes
- Fryer volume 3,5 l
- Manual temperature and time setting
- Variable temperature setting 80-200 ° C – suitable for various recipes
- Variable time setting up to 30 min
- Automatic shut-off

- Interior removable basket with non-stick finish
- Easy maintenance and cleaning
- Anti-slip feet
- Operation indicator
- Heat indicator
- Overheating protection function
- Power input: 1300-1500 W

Technical specifications

| | |
|--------------------------|-----------------|
| Input power (W) | 1300-1500 |
| Voltage/Frequency (V/Hz) | 220-240 ~ 50/60 |
| Heat isolated handle | Yes |

Product specifications

| | |
|------------------------|----------|
| Container capacity (l) | 3,5 |
| Temperature range | 80-200°C |
| Variable temperature | Yes |
| Temperature control | Yes |
| 3D heating | Yes |
| Rice cooker | No |
| Pilaf | No |
| Baking | Yes |
| Jam | No |
| Boil | No |
| Stewing | No |
| Steam | No |
| Frying | Yes |
| Warm | No |

| | |
|---|-----------|
| Slow cooking | No |
| Intuitive display | No |
| Delayed start | No |
| Control mode | Buttons |
| Maintaining the temperature after cooking | No |
| Digital Timer Setting | Yes |
| Sound indicator | Yes |
| Power light indicator | Yes |
| Removable bowl | Yes |
| Bowl surface | Non-stick |
| Transparent lid | No |
| Non-slip feet | Yes |
| Removable power cord | No |

Design

| | |
|----------|--------|
| Colour | Black |
| Material | Platic |

Accessories

| | |
|-----------------|----|
| Stirring paddle | No |
|-----------------|----|

| | |
|---------------|-----|
| Spatula | No |
| Grilling grid | No |
| Fry basket | Yes |
| Steamer | No |
| Measure cup | No |
| Scoop/Ladle | No |
| Ladle holder | No |

Weight & dimensions

| | |
|-------------|-----|
| WIDTH (MM) | 295 |
| HEIGHT (MM) | 320 |
| LENGTH (MM) | 390 |
| WEIGHT (KG) | 4.6 |

Weight & dimensions (Brutto)

| | |
|----------------------------|-----|
| WIDTH WITH PACKAGING (MM) | 330 |
| HEIGHT WITH PACKAGING (MM) | 330 |
| DEPTH WITH PACKAGING (MM) | 366 |
| WEIGHT WITH PACKAGING (KG) | 5.8 |

Playful and healthy

The **ECG AF 3500** hot air fryer is used for healthy cooking of favourite dishes with minimum of fat. Thanks to the capacity of 3.5 l, the fryer is suitable for every family. With its help, you can make french fries so beloved by the children in a very healthy way. And that's far from all!

ECG AF 3500 is suitable for frying, baking, roasting and grilling with hot air. You can cook vegetables and meat in it and even prepare sweet desserts. And you can do all this in much healthier way than the classic one.



Easy setup

You can easily set the temperature (80 to 200 °C) or **timer** using intuitive knobs (up to 30 minutes). Using the ECG AF 3500 you can conjure up real delicacies from beef steak through onion rings to sweet donuts or buns. You can try literally anything, grilled vegetables or zucchini fries are also excellent.

The indicator lights (orange - heating up, green – ready) inform you about the heating to the desired temperature, which is supplemented by an audible signal.



Safety is assured

The inner removable basket has a non-stick surface finish, so its maintenance will be a matter of a moment for you.

The ECG AF 3500 hot air fryer is equipped with an automatic shut-off function and protection against overheating for safety reasons. Thermally insulated handles prevent scalding when handling the appliance.

Anti-slip feet guarantee maximum stability of the work area. An 80 cm power cord ensures a sufficient distance from the electrical outlet.

